




ZEPHYROS A CORNER ENTRY SLIDER



CORNER ENTRY SHOWER ENCLOSURE, 2 SLIDING DOORS + 2 FIXED PANELS
 TO COMPLETE A CORNER ENTRY, ORDER 2 SIDES (1 LEFT SIDE + 1 RIGHT SIDE)



Dimensions				Code	Glass		Profile type				
Size	Actual dimensions		Access		1	54	B	K	X	H	
	A	F1	*		Clear	Smoked Grey	Silver	Chrome	Nickel	Black	
STANDARD											
70	67 ↔ 70	30	32	ZEPHYRA67L-	●						
76	72 ↔ 75	33	36	ZEPHYRA72L-	●						
76	74 ↔ 77	34	39	ZEPHYRA74L-	●						
80	77 ↔ 80	35	39	ZEPHYRA77L-	●						
90	87 ↔ 90	40	46	ZEPHYRA87L-	●						
100	97 ↔ 100	45	53	ZEPHYRA97L-	●						
110	107 ↔ 110	50	53	ZEPHYRA107L-	●						
120	117 ↔ 120	55	67	ZEPHYRA117L-	●						
OTHER SIZES											
◇	82 ↔ 85	38	43	ZEPHYRA82L-							
◇	92 ↔ 95	43	50	ZEPHYRA92L-							
◇	102 ↔ 105	48	50	ZEPHYRA102L-							
◇	112 ↔ 115	53	53	ZEPHYRA112L-							



● IN STOCK UK
 (Other products) please check availability

Construction of the Code: Code + Glass + Profile = Final product Code




ZEPHYROS F SIDE PANEL




SIDE PANEL FOR ZEPHYROS SHOWER DOORS




Dimensions		Code	Glass		Profile type			
Size	Actual dimensions		1	54	B	K	X	H
			Clear	Smoked Grey	Silver	Chrome	Nickel	Black
F								
STANDARD								
70	68 ↔ 71	ZEPHYRF68-	●					
76	73 ↔ 76	ZEPHYRF73-	●					
80	76 ↔ 79	ZEPHYRF76-	●					
80	78 ↔ 81	ZEPHYRF78-	●					
90	88 ↔ 91	ZEPHYRF88-	●					
100	98 ↔ 101	ZEPHYRF98-	●					
120	118 ↔ 121	ZEPHYRF118-	●					
OTHER SIZES								
◇	83 ↔ 86	ZEPHYRF83-	●					
◇	93 ↔ 96	ZEPHYRF93-	●					



Installation with 1 side panel



Installation with 2 side panels



● IN STOCK UK
 (Other products) please check availability

Construction of the Code: Code + Glass + Profile = Final product Code

TECHNICAL DATA

GLASS TYPES (European standards UNI EN 14428)



Clear
COD. 1



Smoked Grey
COD. 54

HANDLES



Chromed metal handles
Interaxis 140 mm

PROFILE COLOURS



Silver
COD. B



Chrome
COD. K



Nickel matt
COD. X




Black
COD. H

OPTIONAL



Support bar

Dimensions	Code
15 cm	R80LOU150-K
25 cm	R80LOU250-K
35 cm	R80LOU350-K
45 cm	R80LOU450-K



Ceiling profile


Special profile for ceiling fixing to be combined to ZEPHYRF5SP

Profile	Code	h 180 ↓ 265
Silver	SPA3102	

ATTENTION: In the chrome version the maximum height of profile si of 240 cm


Profile	Code	h 240
Chrome	SPA31240ST-K	

OVERALL DIMENSIONS FIXING PROFILES




Standard profile
A-R-F

Profile	Code
Silver	P01BHRAST-B
Chrome	P01BHRAST-K
Black	P01BHRAST-H
Nickel	P01BHRAST-X




Standard profile
2P-G-B-S-S2-3P-2A

Profile	Code
Silver	P01BHMOST-B
Chrome	P01BHMOST-K
Black	P01BHMOST-H
Nickel	P01BHMOST-X




Extension profile
For all models

Profile	Code
Silver	P05HAAST3-B
Chrome	P05HAAST3-K
Black	P05HAAST3-H
Nickel	P05HAAST3-X



Extension Profile
(Adds 15 mm)



Profile	Code
Silver	P05BHST-B
Chrome	P05BHST-K
Black	P05BHST-H
Nickel	P05BHST-X




Extension Profile
(Adds 15 mm)

Profile	Code
Silver	P05BHCST-B
Chrome	P05BHCST-K
Black	P05BHCST-H
Nickel	P05BHCST-X

HOW TO TAKE THE MEASUREMENTS



Take the measurements from wall to the external edge of the shower tray. Dimensions must be taken once the walls are finished and tiled, according to the above drawings.



Take the measurements from wall to wall at the bottom, at the top, in the middle and use the smallest. Dimensions must be taken once the walls are finished and tiled, according to the above drawings.